

# LT/HT Power & Control Cables



Price List w.e.f. July, 2014 (Rev. 01)

- HT Single Core Power Cables
- HT Three Core Power Cables
- LT Aluminium Power Cables
- LT Copper Cables - Power and Control



## Price List

w.e.f. July, 2014

(List Price is in Indian rupees as per Havells Regular Terms & Conditions)

### HT Single Core Power Cables - Aluminium Conductor A2XWaY

**Havells Brand** Stranded Compact Circular Aluminium Conductor, Conductor Screen With Extruded Semi Conducting Compound, XLPE Insulated, Insulation Screening With Extruded Semi Conducting Compound In Combination With Copper Tape, Al Round Wire Armoured And Overall PVC Sheathed Cable Conforming To IS 7098 / (Part-II) 1985 With The Latest Amendments.



Cable (Size in sq.mm)	3.3 KV E/UE	6.6 KV (E)	6.6 KV (UE) 11 KV( E)	11 KV (UE)	22 KV (E)	33 KV (E)	33 KV (UE)
70	489.00	503.00	540.00	662.00			
95	553.00	567.00	606.00	772.00	824.00	1071.00	
120	623.00	639.00	685.00	871.00	915.00	1179.00	1315.00
150	696.00	714.00	754.00	946.00	997.00	1261.00	1426.00
185	802.00	821.00	903.00	1124.00	1180.00	1413.00	1562.00
240	1012.00	1033.00	1133.00	1292.00	1357.00	1598.00	1854.00
300	1174.00	1205.00	1329.00	1455.00	1528.00	1874.00	2044.00
400	1406.00	1461.00	1586.00	1722.00	1808.00	2142.00	2336.00
500	1708.00	1790.00	1853.00	2126.00	2232.00	2511.00	2699.00
630	2117.00	2152.00	2211.00	2522.00	2648.00	2944.00	3157.00
800	2622.00	2645.00	2683.00	2946.00	3093.00	3371.00	3794.00
1000	3164.00	3175.00	3492.00	3790.00	3980.00	4098.00	4361.00

#### Extras For Special Construction:

1) FRLS PVC Inner Sheath	7.5%
2) FRLS PVC Outer Sheath	5%
3) Oxygen Index	3%

\*Rate in Rs. Per Metre

**Note :** The above rates are exclusive of Excise duty, Sales Tax, Octroi & any other taxes which shall be charged extra.  
This cancels all our previous Price Lists. This Price List is subject to change without prior notice.

### HT Three Core Power Cables - Aluminium Conductor A2XFY

**Havells Brand** Stranded Compact Circular Aluminium Conductor, Conductor Screen With Extruded Semi Conducting Compound, XLPE Insulated, Insulation Screening With Extruded Semi Conducting Compound In Combination With Copper Tape, Cores Laid Up, Innersheath Of PVC, Galvanised Steel Flat Strip Armoured And Overall PVC Sheathed Cable Conforming To IS 7098 / (Part-II) 1985 With The Latest Amendments.



Cable (Size in sq.mm)	3.3 KV E/UE	6.6 KV (E)	6.6 KV (UE) 11 KV( E)	11 KV (UE)	22 KV (E)	33 KV (E)	33 KV (UE)
35	809.00	892.00	981.00				
50	940.00	1015.00	1111.00	1482.00	1587.00		
70	1139.00	1225.00	1320.00	1714.00	1835.00		
95	1382.00	1471.00	1577.00	1993.00	2122.00	2765.00	3279.00
120	1625.00	1718.00	1820.00	2263.00	2400.00	3151.00	3613.00
150	1835.00	1938.00	2031.00	2499.00	2647.00	3417.00	3873.00
185	2163.00	2256.00	2364.00	2861.00	2996.00	3813.00	4290.00
240	2622.00	2731.00	2837.00	3364.00	3510.00	4358.00	4864.00
300	3097.00	3255.00	3302.00	3871.00	4027.00	4898.00	5427.00
400	3764.00	4074.00	4146.00	4550.00	4742.00	5671.00	6239.00

#### Extras For Special Construction:

1) Extruded PVC Inner Sheath	5%	4) FRLS PVC Inner Sheath	7.5%
2) Pressure Extruded PVC Innersheath	13%	5) FRLS PVC Outer Sheath	5%
3) Round Wire Armouring - Up to 11 KV (E)	25%	6) FR Sheath with Oxygen Index	3%
11 KV (UE) & Above	27.5%		

\*Rate in Rs. Per Metre

**HAVELLS**

# Price List

w.e.f. July, 2014

(List Price is in Indian rupees as per Havells Regular Terms & Conditions)

## LT Power Cables - Aluminium Conductor

**Havells Brand** Power Cables, Solid Aluminum Conductor Up To 10 Sqmm Balance Stranded Conductor, XLPE Insulated, Cores Laid Up, PVC Innersheathed, Unarmoured/Armoured (Aluminium Wire For Single Core Up To 70 Sqmm Balance Aluminium Strip, Galvanised Wire For Cables Upto 2X10 Sqmm, 3X10 Sqmm, 4X6 Sqmm Balance All Galvanised Steel Strip), Extruded PVC Type ST2 Sheathed, 650/1100V Grade As Per IS 7098(Part 1) 1988

IS:7098-1



Cable (Size in sq.mm)	Un Armoured					Armoured				
	Core - 1	Core - 2	Core - 3	Core - 3.5	Core - 4	Core - 1	Core - 2	Core - 3	Core - 3.5	Core - 4
	A2XY	A2XY	A2XY	A2XY	A2XY	A2XWaY A2XFaY	A2XWY A2XFY	A2XWY A2XFY	A2XFY	A2XWY A2XFY
6		86.00	103.00		122.00		143.00	168.00		189.00
10		109.00	133.00		160.00		180.00	210.00		239.00
16	61.00	132.00	171.00		214.00	115.00	215.00	222.00		271.00
25	80.00	170.00	238.00	278.00	298.00	139.00	218.00	289.00	334.00	359.00
35	100.00	215.00	305.00	346.00	385.00	168.00	267.00	366.00	412.00	456.00
50	129.00	276.00	395.00	456.00	501.00	204.00	333.00	459.00	531.00	586.00
70	172.00	372.00	547.00	631.00	697.00	258.00	443.00	618.00	720.00	790.00
95	222.00	497.00	695.00	804.00	892.00	292.00	570.00	790.00	895.00	987.00
120	278.00	592.00	860.00	1022.00	1122.00	351.00	680.00	944.00	1118.00	1220.00
150	338.00	721.00	1065.00	1218.00	1380.00	416.00	820.00	1164.00	1326.00	1487.00
185	417.00	901.00	1324.00	1531.00	1718.00	509.00	1020.00	1422.00	1650.00	1850.00
240	523.00	1146.00	1692.00	1953.00	2197.00	625.00	1270.00	1820.00	2080.00	2360.00
300	640.00	1414.00	2081.00	2403.00	2713.00	760.00	1550.00	2200.00	2550.00	2870.00
400	842.00	1813.00	2678.00	3100.00	3502.00	954.00	1950.00	2797.00	3243.00	3650.00
500	1007.00	2280.00	3259.00	3765.00	4249.00	1249.00	2581.00	3615.00	4213.00	4728.00
630	1279.00	2878.00	4138.00	4895.00	5495.00	1585.00	3248.00	4583.00	5473.00	6118.00
800	1680.00					2013.00				
1000	2136.00					2516.00				

\*Rate in Rs. Per Metre

### Extras For Special Construction:

1) Round Wire Armouring	
- 2 x 16 & above	25.00%
- 3 x 16 & 3.5CX25 & above	25.00%
- 4 x 10 & above	25.00%
- For Single core 95 & above	25.00%
2) Stranding 10 sq.mm and below	10.00%
3) Extruded PVC Innersheath Up 50	5.00%
Extruded PVC Innersheath 70 & Above	2.50%
4) HR PVC Insulation	2.00%
5) HR PVC Inner Sheath	2.00%
6) HR PVC Outer Sheath	2.00%
7) Oxygen Index (FR)	2.50%
8) PVC Cables	5.00%

Cable Size (Sq.mm)	FRLS Loading Factor				LSZH	
	Inner Sheath	Outer Sheath		Inner Sheath	Outer Sheath	
		Armd.	Unarmd.			
<b>Power (Al.)</b>						
Upto 16	10.0%	15.0%	15.0%	15%	20%	
25 - 50	7.5%	10.0%	10.0%	12.5%	15%	
70 & above	5.0%	7.5%	7.5%	15%	12.5%	
<b>Power Single Core (Al.)</b>						
Upto 16	-N.A.-	20.0%	20.0%	25%	25%	
25 - 70	-N.A.-	15.0%	15.0%	20%	20%	
95 & above	-N.A.-	12.5%	12.5%	17.5%	17.5%	

**Note :** The above rates are exclusive of Excise duty, Sales Tax, Octroi & any other taxes which shall be charged extra.

This cancels all our previous Price Lists. This Price List is subject to change without prior notice.

## Price List

w.e.f. July, 2014

(List Price is in Indian rupees as per Havells Regular Terms & Conditions)

### LT Power Cables - Copper Conductor

**Havells Brand** Power Copper Cables, Solid Copper Conductor Upto 6 Sqmm And Balance Stranded Copper, XLPE Insulated, Cores Laid Up, PVC Innersheathed, Unarmoured/Armoured (Galvanised Wire For Cables Up To 2X10 Sqmm, 3X10 Sqmm, 4X6 Sqmm Balance All Galvanised Steel Strip), Extruded PVC Type ST2 Sheathed, 650/1100 V Grade As Per IS 7098 (Part 1) 1988



Cable (Size in sq.mm)	Un Armoured					Armoured				
	Core - 1 2XY	Core - 2 2XY	Core - 3 2XY	Core - 3.5 2XY	Core - 4 2XY	Core - 1 2XWaY 2XFaY	Core - 2 2XWY 2XFY	Core - 3 2XWY 2XFY	Core - 3.5 2XFY	Core - 4 2XWY 2XFY
4		193.00	271.00		353.00		245.00	318.00		405.00
6		274.00	388.00		508.00		331.00	439.00		565.00
10		433.00	621.00		815.00		500.00	683.00		881.00
16	310.00	620.00	918.00		1213.00	348.00	712.00	967.00		1270.00
25	471.00	959.00	1424.00	1718.00	1882.00	566.00	1066.00	1563.00	1880.00	2058.00
35	651.00	1324.00	1970.00	2265.00	2608.00	767.00	1458.00	2153.00	2471.00	2838.00
50	893.00	1813.00	2702.00	3161.00	3580.00	1037.00	1980.00	2932.00	3429.00	3884.00
70	1270.00	2577.00	3857.00	4497.00	5113.00	1457.00	2805.00	4163.00	4852.00	5509.00
95	1703.00	3588.00	5356.00	6257.00	7111.00	2049.00	4027.00	5979.00	6986.00	7927.00
120	2148.00	4514.00	6743.00	8029.00	8970.00	2578.00	5048.00	7513.00	8952.00	9977.00
150	2685.00	5632.00	8433.00	9722.00	11210.00	3208.00	6297.00	9379.00	10817.00	12452.00
185	3305.00	6943.00	10388.00	12151.00	13808.00	3944.00	7745.00	11543.00	13493.00	15313.00
240	4260.00	8954.00	13405.00	15629.00	17821.00	5065.00	9962.00	14869.00	17333.00	19738.00
300	5310.00	11169.00	16716.00	19497.00	22233.00	6314.00	12409.00	18510.00	21592.00	24592.00
400	6980.00	14660.00	21952.00	25399.00	29210.00	8272.00	16268.00	24291.00	28092.00	32270.00
500	8815.00					10439.00				
630	11103.00					13139.00				
800	14091.00					16649.00				
1000	17604.00					20780.00				

\*Rate in Rs. Per Metre

### LT Control Cables - Copper Conductor

**Havells Brand** Control Copper Cables, Solid Copper Conductor Upto 6 Sqmm And Balance Stranded Copper, XLPE Insulated, Cores Laid Up, PVC Innersheathed, Unarmoured/Armoured (Galvanised Wire For Cables Up To 10X1.5 Sqmm, 8X2.5 Sqmm, Balance All Galvanised Steel Strip), Extruded PVC Type ST2 Sheathed, 650/1100 V Grade As Per IS 7098 (Part 1) 1988



Number of Cores	UN ARMOURED 2XY		ARMOURED - 2XWY/2XFY		Number of Cores	UN ARMOURED 2XY		ARMOURED - 2XFY	
	1.5	2.5	1.5	2.5		1.5	2.5	1.5	2.5
2	95.00	137.00	142.00	186.00	14	467.00	734.00	592.00	832.00
3	125.00	181.00	175.00	239.00	16	530.00	841.00	612.00	936.00
4	157.00	233.00	211.00	297.00	19	623.00	991.00	710.00	1099.00
5	186.00	279.00	248.00	355.00	24	788.00	1245.00	889.00	1376.00
6	218.00	331.00	284.00	413.00	27	880.00	1393.00	991.00	1531.00
7	247.00	379.00	315.00	466.00	30	1007.00	1596.00	1135.00	1766.00
8	275.00	416.00	340.00	501.00	37	1231.00	1957.00	1384.00	2152.00
9	308.00	464.00	386.00	566.00	44	1459.00	2334.00	1637.00	2567.00
10	343.00	535.00	452.00	614.00	52	1712.00	2743.00	1913.00	3001.00
12	404.00	634.00	520.00	721.00	61	2012.00	3206.00	2233.00	3499.00

\*Rate in Rs. Per Metre

## Price List

w.e.f. July, 2014

(List Price is in Indian rupees as per Havells Regular Terms & Conditions)

### Extras For Special Construction (Control cables)-

1) Tinning	3.00%
2) Stranding (Upto 6 SQ.MM )	6.00%
3) Extruded Innersheath	2.50%
4) Round Wire Armouring	
1C x 95 sq. mm & above	7.50%
1.5 sq.mm - 12 core & above	15.00%
2.5 sq.mm - 9 core & above	15.00%
10 sq.mm - 4 core & above	15.00%
16 sq.mm - 2 core & above	15.00%
16 sq.mm - 3 core & above	15.00%
5) OXYGEN INDEX (FR)	2.50%
6) HR PVC INSU/I.SH/O/SH.	2.00% (Each)
7) FRLS Loading-Power Cable	7.50%
8) PVC Cables	5%

FRLS Loading Factor - Control Cable				LSZH	
Coresh	Inner Sheath	Outer Sheath		Inner Sheath	Outer Sheath
		Armoured	Unarmd.		
2 - 4	10.0%	10.0%	7.5%	15.0%	15.0%
5 - 10	7.5%	10.0%	7.5%	15.0%	15.0%
12 & Above	7.5%	7.5%	7.5%	12.5%	12.5%

**Note :** The above rates are exclusive of Excise duty, Sales Tax, Octroi & any other taxes which shall be charged extra. This cancels all our previous Price Lists. This Price List is subject to change without prior notice.

### Terms & Conditions

- Prices are in Indian Rupees.
- List Prices are valid for delivery from our factory/ godowns/ depots.
- Discount Structure is exclusive of Excise duty and VAT/ Sales Tax and any other Central or Local Taxes, Octroi Duty and other levies. These will be charged extra as applicable on the day of supply and inclusive of freight/ delivery/ insurance charges, in case delivery is FOR destination basis.
- Disputes, if any, are subject to Delhi jurisdiction only.
- This Price List supersedes all our previous Price Lists.
- Prices are subject to change without notice.
- Company reserves the right to issue amendments, which may arise due to any errors in the price list.
- Orders will be accepted in multiple of standard packing.

**NOTE:** • Prices are Ex-our Alwar works/branches godown. • Current rate of ED - 12.36% • Prices are Exclusive of CST/LST which is chargeable extra at rates applicable on actual date of supply • CST ex Alwar works - 1% against from C otherwise 5% • Standard Packing for HT Cables - 500 mtrs. +/- 5% upto 3x300 sq.mm 11KV(E) 3x300 sq.mm, 33kV & below & 250 mtrs. for higher voltage grade & sizes (on non-returnable wooden drums).



**Regional & Branch Offices:**

**NORTH - REGIONAL OFFICE: Corporate Office:** QRG Towers, 2D, Sector-126, Expressway, Noida-201304, Tel: 0120-3331000, **Delhi:** Tel: 011-47676700, 23888200, **Chandigarh:** Tel: 0172-4232400-401, **Dehradun:** Tel: 0135-6670202, **Noida / Haryana:** Tel: 0120-3331000, **Ludhiana:** Tel: 0161-4676000 / 24, **Jammu:** Tel: 0191-2490424, **Sri Nagar:** Tel: 0194-2490431, **Jaipur:** Tel: 0141-3914645, 3988210 **Jodhpur:** Tel: 0291-9214201640 / 45, **Lucknow:** Tel: 0522-6672100, **Kanpur:** Tel: 0512-6710400, 6710409

**EAST - REGIONAL OFFICE: Kolkata:** ICC Tower, 5th Floor, 4 India Exchange Place, Kolkata-700001, Tel: 033-40129851 / 52, **Bhubaneswar:** Tel: 0674-6668101/102/103/104, **Guwahati:** Tel: 0361-2134521, 2458923, 2460355, **Siliguri:** Tel: 0353-2525907, **Ranchi:** 0651-2244861, 2244862, 2244864, 2244868, 2244869, **Jamshedpur:** Tel: 0657-6542492, 09234369436, **Patna:** Tel: 0612-2207221, 2207222, 2207223, 2655518

**WEST - REGIONAL OFFICE: Mumbai:** 301, Everest House, 3rd Floor, 6, Suren Road, Chakala, Andheri (E). Mumbai - 400 093, Tel: 022-67298600-602, **Ahmedabad:** Tel: 079-40061111, 40060738-740, **Indore:** Tel: 0731-2572340-41, 4009998 (Airtel), **Rajkot:** Tel: 0281-2481112, 2921212, **Nagpur:** Tel: 0712-2240932, 2242692, 2242699 **Pune:** Tel: 020-64016413 / 14, **Raipur:** Tel: 0771-4243400 / 01, **Surat:** Tel: 0261-2350137, 9979890137, **Jabalpur:** Tel: 0761-4064491

**SOUTH - REGIONAL OFFICE: Chennai:** Sigapi Achi Building, No. 18 / 3, 6th Floor, Rukmani Lakshmi Pathy Road, Egmore, Chennai-600008, Tel: 044-42280600, 605, **Bangalore:** Tel: 080-49075000, **Coimbatore:** Tel: 0422-2305767, 2306199, 2305199, **Hyderabad:** Tel: 040-27533372, 27533355, 27533632, 66320407/0408/6401/6402, **Kochi:** Tel: 0484-4099000, **Vishakapatnam:** Tel: 0891-6514339, **Vizag:** Tel: 0891-6514339, **Vijayawada:** Tel: 91+9247058847/57, **Calicut:** 09895855499, **Madurai:** 09994493242, **Trivandrum:** 09633817795, **Hubli:** 09448146028, **Trichy:** 09944460160

**Representative Offices:** • Goa • Solapur • Gwalior • Kathmandu • Bhopal

**Havells India Ltd.**

Corp Office: QRG Towers, 2D, Sector-126, Expressway, Noida-201304 (U.P), Ph. +91-120-3331000,  
 Email: marketing@havells.com, www.havells.com  
 Consumer Care No.: 1800 11 0303 (Tollfree), 1800 103 1313 (All Connection), 011-4166 0303 (Landline)  
 Join us on Facebook at [www.facebook.com/havells](http://www.facebook.com/havells) and share your ways to save planet!  
 CIN - L31900DL1983PLC016304



**HAVELLS**