

LT/HT Power & Control Cables



Price List w.e.f. July, 2014 (Rev. 01)

- HT Single Core Power Cables
- HT Three Core Power Cables
- LT Aluminium Power Cables
- LT Copper Cables - Power and Control



Price List

w.e.f. July, 2014

(List Price is in Indian rupees as per Havells Regular Terms & Conditions)

HT Single Core Power Cables - Aluminium Conductor A2XWaY

Havells Brand Stranded Compact Circular Aluminium Conductor, Conductor Screen With Extruded Semi Conducting Compound, XLPE Insulated, Insulation Screening With Extruded Semi Conducting Compound In Combination With Copper Tape, Al Round Wire Armoured And Overall PVC Sheathed Cable Conforming To IS 7098 / (Part-II) 1985 With The Latest Amendments.



Cable (Size in sq.mm)	3.3 KV E/UE	6.6 KV (E)	6.6 KV (UE) 11 KV(E)	11 KV (UE)	22 KV (E)	33 KV (E)	33 KV (UE)
70	489.00	503.00	540.00	662.00			
95	553.00	567.00	606.00	772.00	824.00	1071.00	
120	623.00	639.00	685.00	871.00	915.00	1179.00	1315.00
150	696.00	714.00	754.00	946.00	997.00	1261.00	1426.00
185	802.00	821.00	903.00	1124.00	1180.00	1413.00	1562.00
240	1012.00	1033.00	1133.00	1292.00	1357.00	1598.00	1854.00
300	1174.00	1205.00	1329.00	1455.00	1528.00	1874.00	2044.00
400	1406.00	1461.00	1586.00	1722.00	1808.00	2142.00	2336.00
500	1708.00	1790.00	1853.00	2126.00	2232.00	2511.00	2699.00
630	2117.00	2152.00	2211.00	2522.00	2648.00	2944.00	3157.00
800	2622.00	2645.00	2683.00	2946.00	3093.00	3371.00	3794.00
1000	3164.00	3175.00	3492.00	3790.00	3980.00	4098.00	4361.00

Extras For Special Construction:

1) FRLS PVC Inner Sheath	7.5%
2) FRLS PVC Outer Sheath	5%
3) Oxygen Index	3%

*Rate in Rs. Per Metre

Note : The above rates are exclusive of Excise duty, Sales Tax, Octroi & any other taxes which shall be charged extra.
This cancels all our previous Price Lists. This Price List is subject to change without prior notice.

HT Three Core Power Cables - Aluminium Conductor A2XFY

Havells Brand Stranded Compact Circular Aluminium Conductor, Conductor Screen With Extruded Semi Conducting Compound, XLPE Insulated, Insulation Screening With Extruded Semi Conducting Compound In Combination With Copper Tape, Cores Laid Up, Innersheath Of PVC, Galvanised Steel Flat Strip Armoured And Overall PVC Sheathed Cable Conforming To IS 7098 / (Part-II) 1985 With The Latest Amendments.



Cable (Size in sq.mm)	3.3 KV E/UE	6.6 KV (E)	6.6 KV (UE) 11 KV(E)	11 KV (UE)	22 KV (E)	33 KV (E)	33 KV (UE)
35	809.00	892.00	981.00				
50	940.00	1015.00	1111.00	1482.00	1587.00		
70	1139.00	1225.00	1320.00	1714.00	1835.00		
95	1382.00	1471.00	1577.00	1993.00	2122.00	2765.00	3279.00
120	1625.00	1718.00	1820.00	2263.00	2400.00	3151.00	3613.00
150	1835.00	1938.00	2031.00	2499.00	2647.00	3417.00	3873.00
185	2163.00	2256.00	2364.00	2861.00	2996.00	3813.00	4290.00
240	2622.00	2731.00	2837.00	3364.00	3510.00	4358.00	4864.00
300	3097.00	3255.00	3302.00	3871.00	4027.00	4898.00	5427.00
400	3764.00	4074.00	4146.00	4550.00	4742.00	5671.00	6239.00

Extras For Special Construction:

1) Extruded PVC Inner Sheath	5%	4) FRLS PVC Inner Sheath	7.5%
2) Pressure Extruded PVC Innersheath	13%	5) FRLS PVC Outer Sheath	5%
3) Round Wire Armouring - Up to 11 KV (E)	25%	6) FR Sheath with Oxygen Index	3%
11 KV (UE) & Above	27.5%		

*Rate in Rs. Per Metre

HAVELLS

Price List

w.e.f. July, 2014

(List Price is in Indian rupees as per Havells Regular Terms & Conditions)

LT Power Cables - Aluminium Conductor

Havells Brand Power Cables, Solid Aluminum Conductor Up To 10 Sqmm Balance Stranded Conductor, XLPE Insulated, Cores Laid Up, PVC Innersheathed, Unarmoured/Armoured (Aluminium Wire For Single Core Up To 70 Sqmm Balance Aluminium Strip, Galvanised Wire For Cables Upto 2X10 Sqmm, 3X10 Sqmm, 4X6 Sqmm Balance All Galvanised Steel Strip), Extruded PVC Type ST2 Sheathed, 650/1100V Grade As Per IS 7098(Part 1) 1988

IS:7098-1



Cable (Size in sq.mm)	Un Armoured					Armoured				
	Core - 1	Core - 2	Core - 3	Core - 3.5	Core - 4	Core - 1	Core - 2	Core - 3	Core - 3.5	Core - 4
	A2XY	A2XY	A2XY	A2XY	A2XY	A2XWaY A2XFaY	A2XWY A2XFY	A2XWY A2XFY	A2XFY	A2XWY A2XFY
6		86.00	103.00		122.00		143.00	168.00		189.00
10		109.00	133.00		160.00		180.00	210.00		239.00
16	61.00	132.00	171.00		214.00	115.00	215.00	222.00		271.00
25	80.00	170.00	238.00	278.00	298.00	139.00	218.00	289.00	334.00	359.00
35	100.00	215.00	305.00	346.00	385.00	168.00	267.00	366.00	412.00	456.00
50	129.00	276.00	395.00	456.00	501.00	204.00	333.00	459.00	531.00	586.00
70	172.00	372.00	547.00	631.00	697.00	258.00	443.00	618.00	720.00	790.00
95	222.00	497.00	695.00	804.00	892.00	292.00	570.00	790.00	895.00	987.00
120	278.00	592.00	860.00	1022.00	1122.00	351.00	680.00	944.00	1118.00	1220.00
150	338.00	721.00	1065.00	1218.00	1380.00	416.00	820.00	1164.00	1326.00	1487.00
185	417.00	901.00	1324.00	1531.00	1718.00	509.00	1020.00	1422.00	1650.00	1850.00
240	523.00	1146.00	1692.00	1953.00	2197.00	625.00	1270.00	1820.00	2080.00	2360.00
300	640.00	1414.00	2081.00	2403.00	2713.00	760.00	1550.00	2200.00	2550.00	2870.00
400	842.00	1813.00	2678.00	3100.00	3502.00	954.00	1950.00	2797.00	3243.00	3650.00
500	1007.00	2280.00	3259.00	3765.00	4249.00	1249.00	2581.00	3615.00	4213.00	4728.00
630	1279.00	2878.00	4138.00	4895.00	5495.00	1585.00	3248.00	4583.00	5473.00	6118.00
800	1680.00					2013.00				
1000	2136.00					2516.00				

*Rate in Rs. Per Metre

Extras For Special Construction:

1) Round Wire Armouring	
- 2 x 16 & above	25.00%
- 3 x 16 & 3.5CX25 & above	25.00%
- 4 x 10 & above	25.00%
- For Single core 95 & above	25.00%
2) Stranding 10 sq.mm and below	10.00%
3) Extruded PVC Innersheath Up 50	5.00%
Extruded PVC Innersheath 70 & Above	2.50%
4) HR PVC Insulation	2.00%
5) HR PVC Inner Sheath	2.00%
6) HR PVC Outer Sheath	2.00%
7) Oxygen Index (FR)	2.50%
8) PVC Cables	5.00%

Cable Size (Sq.mm)	FRLS Loading Factor				LSZH	
	Inner Sheath	Outer Sheath		Inner Sheath	Outer Sheath	
		Armd.	Unarmd.			
Power (Al.)						
Upto 16	10.0%	15.0%	15.0%	15%	20%	
25 - 50	7.5%	10.0%	10.0%	12.5%	15%	
70 & above	5.0%	7.5%	7.5%	15%	12.5%	
Power Single Core (Al.)						
Upto 16	-N.A.-	20.0%	20.0%	25%	25%	
25 - 70	-N.A.-	15.0%	15.0%	20%	20%	
95 & above	-N.A.-	12.5%	12.5%	17.5%	17.5%	

Note : The above rates are exclusive of Excise duty, Sales Tax, Octroi & any other taxes which shall be charged extra.

This cancels all our previous Price Lists. This Price List is subject to change without prior notice.

Price List

w.e.f. July, 2014

(List Price is in Indian rupees as per Havells Regular Terms & Conditions)

LT Power Cables - Copper Conductor

Havells Brand Power Copper Cables, Solid Copper Conductor Upto 6 Sqmm And Balance Stranded Copper, XLPE Insulated, Cores Laid Up, PVC Innersheathed, Unarmoured/Armoured (Galvanised Wire For Cables Up To 2X10 Sqmm, 3X10 Sqmm, 4X6 Sqmm Balance All Galvanised Steel Strip), Extruded PVC Type ST2 Sheathed, 650/1100 V Grade As Per IS 7098 (Part 1) 1988



Cable (Size in sq.mm)	Un Armoured					Armoured				
	Core - 1 2XY	Core - 2 2XY	Core - 3 2XY	Core - 3.5 2XY	Core - 4 2XY	Core - 1 2XWaY 2XFaY	Core - 2 2XWY 2XFY	Core - 3 2XWY 2XFY	Core - 3.5 2XFY	Core - 4 2XWY 2XFY
4		193.00	271.00		353.00		245.00	318.00		405.00
6		274.00	388.00		508.00		331.00	439.00		565.00
10		433.00	621.00		815.00		500.00	683.00		881.00
16	310.00	620.00	918.00		1213.00	348.00	712.00	967.00		1270.00
25	471.00	959.00	1424.00	1718.00	1882.00	566.00	1066.00	1563.00	1880.00	2058.00
35	651.00	1324.00	1970.00	2265.00	2608.00	767.00	1458.00	2153.00	2471.00	2838.00
50	893.00	1813.00	2702.00	3161.00	3580.00	1037.00	1980.00	2932.00	3429.00	3884.00
70	1270.00	2577.00	3857.00	4497.00	5113.00	1457.00	2805.00	4163.00	4852.00	5509.00
95	1703.00	3588.00	5356.00	6257.00	7111.00	2049.00	4027.00	5979.00	6986.00	7927.00
120	2148.00	4514.00	6743.00	8029.00	8970.00	2578.00	5048.00	7513.00	8952.00	9977.00
150	2685.00	5632.00	8433.00	9722.00	11210.00	3208.00	6297.00	9379.00	10817.00	12452.00
185	3305.00	6943.00	10388.00	12151.00	13808.00	3944.00	7745.00	11543.00	13493.00	15313.00
240	4260.00	8954.00	13405.00	15629.00	17821.00	5065.00	9962.00	14869.00	17333.00	19738.00
300	5310.00	11169.00	16716.00	19497.00	22233.00	6314.00	12409.00	18510.00	21592.00	24592.00
400	6980.00	14660.00	21952.00	25399.00	29210.00	8272.00	16268.00	24291.00	28092.00	32270.00
500	8815.00					10439.00				
630	11103.00					13139.00				
800	14091.00					16649.00				
1000	17604.00					20780.00				

*Rate in Rs. Per Metre

LT Control Cables - Copper Conductor

Havells Brand Control Copper Cables, Solid Copper Conductor Upto 6 Sqmm And Balance Stranded Copper, XLPE Insulated, Cores Laid Up, PVC Innersheathed, Unarmoured/Armoured (Galvanised Wire For Cables Up To 10X1.5 Sqmm, 8X2.5 Sqmm, Balance All Galvanised Steel Strip), Extruded PVC Type ST2 Sheathed, 650/1100 V Grade As Per IS 7098 (Part 1) 1988



Number of Cores	UN ARMOURED 2XY		ARMOURED - 2XWY/2XFY		Number of Cores	UN ARMOURED 2XY		ARMOURED - 2XFY	
	1.5	2.5	1.5	2.5		1.5	2.5	1.5	2.5
2	95.00	137.00	142.00	186.00	14	467.00	734.00	592.00	832.00
3	125.00	181.00	175.00	239.00	16	530.00	841.00	612.00	936.00
4	157.00	233.00	211.00	297.00	19	623.00	991.00	710.00	1099.00
5	186.00	279.00	248.00	355.00	24	788.00	1245.00	889.00	1376.00
6	218.00	331.00	284.00	413.00	27	880.00	1393.00	991.00	1531.00
7	247.00	379.00	315.00	466.00	30	1007.00	1596.00	1135.00	1766.00
8	275.00	416.00	340.00	501.00	37	1231.00	1957.00	1384.00	2152.00
9	308.00	464.00	386.00	566.00	44	1459.00	2334.00	1637.00	2567.00
10	343.00	535.00	452.00	614.00	52	1712.00	2743.00	1913.00	3001.00
12	404.00	634.00	520.00	721.00	61	2012.00	3206.00	2233.00	3499.00

*Rate in Rs. Per Metre

Price List

w.e.f. July, 2014

(List Price is in Indian rupees as per Havells Regular Terms & Conditions)

Extras For Special Construction (Control cables)-

1) Tinning	3.00%
2) Stranding (Upto 6 SQ.MM)	6.00%
3) Extruded Innersheath	2.50%
4) Round Wire Armouring	
1C x 95 sq. mm & above	7.50%
1.5 sq.mm - 12 core & above	15.00%
2.5 sq.mm - 9 core & above	15.00%
10 sq.mm - 4 core & above	15.00%
16 sq.mm - 2 core & above	15.00%
16 sq.mm - 3 core & above	15.00%
5) OXYGEN INDEX (FR)	2.50%
6) HR PVC INSU/I.SH/O/SH.	2.00% (Each)
7) FRLS Loading-Power Cable	7.50%
8) PVC Cables	5%

FRLS Loading Factor - Control Cable				LSZH	
Coresh	Inner Sheath	Outer Sheath		Inner Sheath	Outer Sheath
		Armoured	Unarmd.		
2 - 4	10.0%	10.0%	7.5%	15.0%	15.0%
5 - 10	7.5%	10.0%	7.5%	15.0%	15.0%
12 & Above	7.5%	7.5%	7.5%	12.5%	12.5%

Note : The above rates are exclusive of Excise duty, Sales Tax, Octroi & any other taxes which shall be charged extra. This cancels all our previous Price Lists. This Price List is subject to change without prior notice.

Terms & Conditions

- Prices are in Indian Rupees.
- List Prices are valid for delivery from our factory/ godowns/ depots.
- Discount Structure is exclusive of Excise duty and VAT/ Sales Tax and any other Central or Local Taxes, Octroi Duty and other levies. These will be charged extra as applicable on the day of supply and inclusive of freight/ delivery/ insurance charges, in case delivery is FOR destination basis.
- Disputes, if any, are subject to Delhi jurisdiction only.
- This Price List supersedes all our previous Price Lists.
- Prices are subject to change without notice.
- Company reserves the right to issue amendments, which may arise due to any errors in the price list.
- Orders will be accepted in multiple of standard packing.

NOTE: • Prices are Ex-our Alwar works/branches godown. • Current rate of ED - 12.36% • Prices are Exclusive of CST/LST which is chargeable extra at rates applicable on actual date of supply • CST ex Alwar works - 1% against from C otherwise 5% • Standard Packing for HT Cables - 500 mtrs. +/- 5% upto 3x300 sq.mm 11KV(E) 3x300 sq.mm, 33kV & below & 250 mtrs. for higher voltage grade & sizes (on non-returnable wooden drums).



Regional & Branch Offices:

NORTH - REGIONAL OFFICE: Corporate Office: QRG Towers, 2D, Sector-126, Expressway, Noida-201304, Tel: 0120-3331000, **Delhi:** Tel: 011-47676700, 23888200, **Chandigarh:** Tel: 0172-4232400-401, **Dehradun:** Tel: 0135-6670202, **Noida / Haryana:** Tel: 0120-3331000, **Ludhiana:** Tel: 0161-4676000 / 24, **Jammu:** Tel: 0191-2478330, 2479330, **Sri Nagar:** Tel: 0194-2490431, **Jaipur:** Tel: 0141-3914645, 3988210 **Jodhpur:** Tel: 0291-9214201640 / 45, **Lucknow:** Tel: 0522-6672100, **Kanpur:** Tel: 0512-6710400, 6710409

EAST - REGIONAL OFFICE: Kolkata: ICC Tower, 5th Floor, 4 India Exchange Place, Kolkata-700001, Tel: 033-40129851 / 52, **Bhubaneshwar:** Tel: 0674-6668101/102/103/104, **Guwahati:** Tel: 0361-2134521, 2458923, 2460355, **Siliguri:** Tel: 0353-2525907, **Ranchi:** 0651-2244861, 2244862, 2244864, 2244868, 2244869, **Jamshedpur:** Tel: 0657-6542492, 09234369436, **Patna:** Tel: 0612-2207221, 2207222, 2207223, 2655518

WEST - REGIONAL OFFICE: Mumbai: 301, Everest House, 3rd Floor, 6, Suren Road, Chakala, Andheri (E), Mumbai - 400 093, Tel: 022-67298600-602, **Ahmedabad:** Tel: 079-40061111, 40060738-740, **Indore:** Tel: 0731-2572340-41, 4009998 (Airtel), **Rajkot:** Tel: 0281-2481112, 2921212, **Nagpur:** Tel: 0712-2240932, 2242692, 2242699 **Pune:** Tel: 020-64016413 / 14, **Raipur:** Tel: 0771-4243400 / 01, **Surat:** Tel: 0261-2350137, 9979890137, **Jabalpur:** Tel: 0761-4064491

SOUTH - REGIONAL OFFICE: Chennai: Sigapi Achi Building, No. 18 / 3, 6th Floor, Rukmani Lakshmi pathy Road, Egmore, Chennai-600008, Tel: 044-42280600, 605, **Bangalore:** Tel: 080-49075000, **Coimbatore:** Tel: 0422-2305767, 2306199, 2305199, **Hyderabad:** Tel: 040-27533372, 27533355, 27533632, 66320407/0408/6401/6402, **Kochi:** Tel: 0484-4099000, **Vishakapatnam:** Tel: 0891-6514339, **Vizag:** Tel: 0891-6514339, **Vijayawada:** Tel: 91+9247058847/57, **Calicut:** 09895855499, **Madurai:** 09994493242, **Trivandrum:** 09633817795, **Hubli:** 09448146028, **Trichy:** 09944460160

Representative Offices: • Goa • Solapur • Gwalior • Kathmandu • Bhopal

Havells India Ltd.

Corp Office: QRG Towers, 2D, Sector-126, Expressway, Noida-201304 (U.P), Ph. +91-120-3331000,
 Email: marketing@havells.com, www.havells.com
 Consumer Care No.: 1800 11 0303 (Tollfree), 1800 103 1313 (All Connection), 011-4166 0303 (Landline)
 Join us on Facebook at www.facebook.com/havells and share your ways to save planet!
 CIN - L31900DL1983PLC016304




Havells PVC Insulated Industrial Cables (Flexible)



Price List w.e.f. 20th Jan., 2015

- FR/FR-LSH/HFFR PVC Insulated Industrial Cables
- Multicore Round PVC Cables
- Flat Three Core Industrial Cable for Submersible use
- Telecom & Co-axial Cables

Life Line  **Flame Retardant FR PVC Insulated Industrial Cables**

Havells Single Core copper conductor (Flexible)
FR PVC insulated industrial Cables (Unsheathed)
1100 Volts Conforming to IS: 694



Nominal area of conductor sq. mm	Life Line FR PVC Basic Code	List Price per 90 mtrs.	Std. Pkg of Coil in master Carton	Life Line FR PVC in project packing Basic Code	List Price per 180 mtrs.
0.5	WHFFDN...A1X50	685	20	WHFFDN...L1X50	1,370
0.75	WHFFDN...A1X75	950	20	WHFFDN...L1X75	1,900
1.0	WHFFDN...A11X0	1,270	20	WHFFDN...L11X0	2,540
1.5	WHFFDN...A11X5	1,875	16	WHFFDN...L11X5	3,750
2.5	WHFFDN...A12X5	3,010	12	WHFFDN...L12X5	6,020
4.0	WHFFDN...A14X0	4,445	4	WHFFDN...L14X0	8,890
6.0	WHFFDN...A16X0	6,685	4	WHFFDN...L16X0	13,370

...Fill the colour code i.e. B = Blue

Standard Packing: 90 mtrs. in carton

Project packing: 180 mtrs. poly wrapped

• Colours available: Red, Yellow, Blue, Black, Green & White.

Havells Single Core Copper Conductor (Flexible)
PVC Insulated Heavy Duty Industrial Cables
(Unsheathed), 1100 Volts Conforming to IS: 694




Nominal area of conductor sq. mm	Basic Code	List Price per 100 mtrs.
10	WHFFDN...B1010	13,430
16	WHFFDN...B1016	21,220
25	WHFFDN...B1025	32,335
35	WHFFDN...B1035	44,570
50	WHFFDN...B1050	64,125
70	WHFFDN...B1070	92,920
95	WHFFDN...B1095	1,22,595
120	WHFFDN...B1120	1,53,665
150	WHFFDN...B1150	1,92,650
185	WHFFDN...B1185	2,34,895
240	WHFFDN...B1240	3,40,685
300	WHFFDN...B1300	4,53,950
400	WHFFDN...B1400	6,02,615

...Fill the colour code i.e. B = Blue

Standard Packing: 100 mtrs. coils.

• Colours available: Red, Yellow, Blue, Green & Black.

life guard  **Flame Retardant Low Smoke & Halogen FR-LSH PVC Insulated Industrial Cables**

Havells Single Core copper conductor (Flexible) Industrial Cables
FR-LSH compound insulated (Unsheathed),
1100 Volts Conforming to IS: 694



Nominal area of conductor sq. mm	Life Guard FR-LSH Basic Code	List Price per 90 mtrs.	Std. Pkg of Coil in master Carton	Life Guard FR-LSH in project packing Basic Code	List Price per 180 mtrs.
1.0	WHFFFN...A11X0	1,375	20	WHFFFN...L11X0	2,750
1.5	WHFFFN...A11X5	2,060	16	WHFFFN...L11X5	4,120
2.5	WHFFFN...A12X5	3,325	12	WHFFFN...L12X5	6,650
4.0	WHFFFN...A14X0	4,900	4	WHFFFN...L14X0	9,800
6.0	WHFFFN...A16X0	7,365	4	WHFFFN...L16X0	14,730

...Fill the colour code i.e. B = Blue


Standard Packing: 90 mtrs. in carton

Project packing: 180 mtrs. poly wrapped

• Colours available: Red, Yellow, Blue, Black & Green.

Master Carton Packing for Single Core FR / FR-LSH / HFFR Flexible

Master Carton Size in mm	Conductor Size of wire in Sq. mm	No. of cartons packed in nos.
365 X 365 X 230	0.5, 0.75	20
365 X 365 X 315	1.0	20
370 X 370 X 240	1.5	16
425 X 425 X 180	2.5	12
237 X 237 X 245	4.0	4
260 X 260 X 288	6.0	4

Life Shield  **Halogen Free Flame Retardant HFFR Insulated Industrial Cables**

Havells Single Core copper conductor (Flexible) Industrial Cables
HFFR compound insulated (Unsheathed),
1100 Volts Generally conforming to IS: 694

Nominal area of conductor sq. mm	Life Shield HFFR Basic Code	List Price per 90 mtrs.	Std. Pkg. of Coil in master Carton	Life Shield HFFR in project packing Basic Code	List Price per 180 mtrs.
1.0	WHFFZN...A11X0	1,520	20	WHFFZN...L11X0	3,040
1.5	WHFFZN...A11X5	2,260	16	WHFFZN...L11X5	4,520
2.5	WHFFZN...A12X5	3,620	12	WHFFZN...L12X5	7,240
4.0	WHFFZN...A14X0	5,330	4	WHFFZN...L14X0	10,660
6.0	WHFFZN...A16X0	8,035	4	WHFFZN...L16X0	16,070

...Fill the colour code i.e. B = Blue

Standard Packing: 90 mtrs. in carton

Project packing: 180 mtrs. poly wrapped

• Colours available: Red, Yellow, Blue, Black & Green.



Multicore Round

Havells PVC insulated and PVC Round Sheathed, Copper Conductor (flexible) industrial cable, 1100 Volts, conforming to IS: 694



Nominal Area of Conductor sq. mm	Basic Code	List Price per 100 mtrs.	Basic Code	List Price per 100 mtrs.	Basic Code	List Price per 100 mtrs.
2 Core			3 Core		4 Core	
0.50	WHMFDSKB2X50	2,535	WHMFDSKB3X50	3,255	WHMFDSKB4X50	4,120
0.75	WHMFDSKB2X75	3,225	WHMFDSKB3X75	4,420	WHMFDSKB4X75	5,600
1.00	WHMFDSKB21X0	3,975	WHMFDSKB31X0	5,610	WHMFDSKB41X0	7,185
1.50	WHMFDSKB21X5	5,415	WHMFDSKB31X5	7,360	WHMFDSKB41X5	9,510
2.50	WHMFDSKB22X5	8,590	WHMFDSKB32X5	11,860	WHMFDSKB42X5	15,295
4.00	WHMFDSKB24X0	13,440	WHMFDSKB34X0	18,060	WHMFDSKB44X0	23,690
6.00	WHMFDSKB26X0	20,195	WHMFDSKB36X0	28,095	WHMFDSKB46X0	35,845
10.00	WHMFDSKB2010	33,345	WHMFDSKB3010	45,760	WHMFDSKB4010	59,685
16.00	WHMFDSKB2016	55,625	WHMFDSKB3016	71,355	WHMFDSKB4016	91,505
25.00	WHMFDSKB2025	78,685	WHMFDSKB3025	1,11,160	WHMFDSKB4025	1,50,920
35.00	WHMFDSKB2035	1,07,545	WHMFDSKB3035	1,54,380	WHMFDSKB4035	2,07,655
50.00	-	-	WHMFDSKB3050	2,18,275	WHMFDSKB4050	2,86,085
70.00	-	-	WHMFDSKB3070	3,15,745	WHMFDSKB4070	4,16,185
95.00	-	-	WHMFDSKB3095	4,13,605	WHMFDSKB4095	5,39,630
5 Core			6 Core		7 Core	
0.50	WHMFDSKB5X50	4,685	WHMFDSKB6X50	6,215	WHMFDSKB7X50	6,825
0.75	WHMFDSKB5X75	6,605	WHMFDSKB6X75	8,510	WHMFDSKB7X75	9,470
1.00	WHMFDSKB51X0	8,510	WHMFDSKB61X0	10,660	WHMFDSKB71X0	11,860
1.50	WHMFDSKB51X5	11,860	WHMFDSKB61X5	14,880	WHMFDSKB71X5	16,740
2.50	WHMFDSKB52X5	19,135	WHMFDSKB62X5	23,865	WHMFDSKB72X5	26,780
4.00	WHMFDSKB54X0	30,510	WHMFDSKB64X0	37,255	WHMFDSKB74X0	42,040
8 Core			10 Core		12 Core	
0.50	WHMFDSKB8X50	8,270	WHMFDSKB10X50	9,780	WHMFDSKB12X50	11,480
0.75	WHMFDSKB8X75	11,135	WHMFDSKB10X75	13,485	WHMFDSKB12X75	15,600
1.00	WHMFDSKB81X0	14,085	WHMFDSKB101X0	17,170	WHMFDSKB121X0	19,785
1.50	WHMFDSKB81X5	19,910	WHMFDSKB101X5	24,245	WHMFDSKB121X5	28,125
2.50	WHMFDSKB82X5	31,895	WHMFDSKB102X5	38,795	WHMFDSKB122X5	45,510
4.00	WHMFDSKB84X0	49,845	WHMFDSKB104X0	61,650	WHMFDSKB124X0	72,510
14 Core			16 Core		19 Core	
0.50	WHMFDSKB14X50	13,175	WHMFDSKB16X50	15,015	WHMFDSKB19X50	17,220
0.75	WHMFDSKB14X75	18,025	WHMFDSKB16X75	20,530	WHMFDSKB19X75	24,020
1.00	WHMFDSKB141X0	23,050	WHMFDSKB161X0	26,255	WHMFDSKB191X0	30,885
1.50	WHMFDSKB141X5	32,710	WHMFDSKB161X5	37,020	WHMFDSKB191X5	43,940
2.50	WHMFDSKB142X5	52,945	WHMFDSKB162X5	60,360	WHMFDSKB192X5	71,410
4.00	WHMFDSKB144X0	83,695	WHMFDSKB164X0	95,510	WHMFDSKB194X0	1,13,580

Standard Packing: 100 mtrs

also available: 500 mtrs. ± 5% on non returnable wooden drums (on demand)

Havells Flat Three Core PVC Insulated & PVC Sheathed Industrial Cable for Submersible Pump Motors

1100 Volts, conforming to IS: 694



Nominal area of conductor Sq.mm	Basic Code	List Price per 100 mtrs.	Nominal area of conductor Sq.mm	Basic Code	List Price per 100 mtrs.
1.5	WHPNDSKB31X5	7,605	10.0	WHPNDSKB3010	44,440
2.5	WHPNDSKB32X5	12,195	16.0	WHPNDSKB3016	68,760
4.0	WHPNDSKB34X0	17,860	25.0	WHPNDSKB3025	1,08,260
6.0	WHPNDSKB36X0	26,430	35.0	WHPNDSKB3035	1,48,250

Standard Packing: 100 mtrs

also available: 500 mtrs. ± 5% on non returnable wooden drums (on demand)

Telecom Switch Board Cables

Havells PVC Insulated Telephone cables for indoor applications confirming to **TEC** specification **G/WIR06/02**



No. of Pairs	UNARMoured 0.5 mm ATC			
	Basic Code	List Price per 90 mtrs.	Basic Code	List Price per 180 mtrs.
1 p	WHTTATEA1P50	795	WHTTATEL1P50	1,590
2 p	WHTTATEA2P50	1,390	WHTTATEL2P50	2,780
3 p	WHTTATEA3P50	2,020	WHTTATEL3P50	4,040
4 p	WHTTATEA4P50	2,610	WHTTATEL4P50	5,220
5 p	WHTTATEA5P50	3,215	WHTTATEL5P50	6,430
10 p	WHTTATEA1050	6,195	WHTTATEL1050	12,390
20 p	WHTTATEA2050	11,220	WHTTATEL2050	22,440

Standard Packing: 90 mtrs. in carton

Project packing: 180 mtrs. poly wrapped

No. of Pairs	UNARMoured 0.4 mm ATC			
	Basic Code	List Price per 90 mtrs.	Basic Code	List Price per 180 mtrs.
1 p	WHTTATEA1P40	600	WHTTATEL1P40	1,200
2 p	WHTTATEA2P40	1,020	WHTTATEL2P40	2,040
3 p	WHTTATEA3P40	1,475	WHTTATEL3P40	2,950
4 p	WHTTATEA4P40	1,915	WHTTATEL4P40	3,830
5 p	WHTTATEA5P40	2,385	WHTTATEL5P40	4,770
10 p	WHTTATEA1040	4,505	WHTTATEL1040	9,010
20 p	WHTTATEA2040	8,335	WHTTATEL2040	16,670

Standard Packing: 90 mtrs. in carton

Project packing: 180 mtrs. poly wrapped

Havells CATV Co-axial Cables

(Electrolytic Grade solid annealed Cu. conductor, JF, AL. Foiled and AL. wire Braided)



Item / Type	Screen	Signal Losses db/100 yds at 100 Mhz.	Basic Code	List Price per 90 mtrs.	Basic Code	List Price per 305 mtrs.
RG 59 (Foam)	AL. FOIL + AL. BRAID	6	WHOJTTKARG59	2,365	WHOJTTKERG59	8,015
RG 6 (Foam)	AL. FOIL + AL. BRAID	5	WHOJTTKARG06	2,990	WHOJTTKERG06	10,135
RG 11 (Foam)	AL. FOIL + AL. BRAID	3.5	WHOJTTKARG11	6,810	WHOJTTKERG11	23,080

Standard Packing: 90 mtrs. in carton

Project packing: 305 mtrs. on plywood bobs.

Havells Instrumentation Cables generally conforming to DIN - VDE 0815 / BS 5308, IS : 5608

Solid / Stranded annealed bare / tinned copper conductor, PVC Insulated, cores twisted to form pairs, pairs individual / overall shielded for interference rejection, unarmoured / armoured PVC sheathed 225 / 650 / 1100 Volts grade in conductor sizes : 0.5 / 0.75 / 1.0 / 1.5 sq.mm up to 80 pairs.

Also available with HR PVC / PE / Halogen Free Insulation and / or HR PVC / FR-LSH / Halogen Free Sheath.

Suitable for Low Frequency Signals.
Prices available on demand.

Prices to be made available on request on furnishing constructional & requirement details for sizes not covered by this list prices.

Note : Prices are inclusive of excise duty but exclusive of taxes.
: Additional properties of HFFR is not covered under IS:694

This price list supersedes all our previous list prices.

- Items generally available in stock.
- Order are accepted subject to availability of stock or for economical run after confirmation

Terms & Condition: • Prices are in Indian Rupees • All prices inclusive of Excise Duty but exclusive of taxes/Delivery charges if paid by Havells shall be on behalf of customers only • Goods are dispatched by us on Purchaser's risk. All claims for loss, damage or shortage will be filed by the Purchasers directly with the carriers • Disputes, if any, are subject to Delhi jurisdiction only • This Price List supersedes all our previous Price List • Prices are subject to change without notice • Company reserves the right to issue amendments, which may arise due to any errors in the price list • Orders will be accepted in multiple of standard packing.



Havells India Ltd.

Corp Office: QRG Towers, 2D, Sector-126, Expressway, Noida-201304 (U.P), Ph. +91-120-3331000

Email: marketing@havells.com, www.havells.com Consumer Care No.: 1800 11 0303 (Tollfree)

011-4166 0303 (Landline), 1800 103 1313 (All Connections)

Join us on Facebook at www.facebook.com/havells and share your ways to save the planet!

CIN - L31900DL1983PLC016304.



HAVELLS